





The Europa's clean, contemporary styling features modern Graymist cabinetry with Carbon décor and is equipped with all the comforts of home, including a standard 16 cu. ft. residential refrigerator, a solid surface kitchen countertop, a comfortable trifold sleeper sofa (optional power theater seats shown) and a roomy dream dinette.



STANDARD FEATURES & OPTIONS

CHASSIS

- Freightliner[®] M2 106B Chassis (33,000-lbs. GVWR / 46,000-lbs. GCWR)
- Cummins[®] B 6.7 Turbo Diesel Engine (360hp / 800 lb-ft. of Torque)
- Allison[®] 3200 TRV Six-Speed Automatic Transmission
 100-Gallon Fuel Capacity
- (Twin 50-Gallon Aluminum Fuel Tanks)
- 6-Gallon Diesel Exhaust Fluid Tank
- Trailer Hitch (12,000 Tow Ibs. / 1,200 Tongue Ibs.) with 7-Way Round Tow Connection
- Weigh Safe[®] Trailer Hitch Receiver
 Brake Controller
- Cummins[®] VG Exhaust Brake System with Dash Switch
- Airliner® 21,000-lb. Rear Suspension
- \blacksquare Manual Air Suspension Dump Valve Switch on the Dash
- 160-Amp Alternator
- Quick Disconnect Fitting with Tire Inflation Kit
- Air Brakes with 4-Wheel ABS
- SACHS® Front Shock Absorbers
- Equiflo" Inboard Fuel System (Dual Supply Dual Return)
 Fuel Filter/Water Separator with Primer Pump
- Engine Block Heater
- Steel-Reinforced, Aluminum Cab
- Chrome Grille and Air Intake Grille
- Front and Rear Tires: Michelin® XZE2 275/80R22.5 (14 Ply Radials)
- Alcoa[®] Aluminum Wheels (22.5" x 8.25")
- Valve Extensions
- Tire Pressure Monitoring System with Metal Valve Extensions
- 5.56 Rear Axle Ratio
- Daytime Running Lights
- LED Headlights
- Tinted Door Glass and Operating Wing Windows
- Chassis Battery Shut Off Switch in Cab
- Leatherette Driver and Passenger Air Ride Seats
- Quad-View Camera System (Right Side, Left Side, Hitch, and Rear Horizon Views)

Dimensions	3188	32KD
GVWR	33,000 lbs.	33,000 lbs.
GCWR	46,000 lbs.	46,000 lbs.
GAWR – Front	12,000 lbs.	12,000 lbs.
GAWR – Rear	21,000 lbs.	21,000 lbs.
UVW*	20,281 lbs.	20,281 lbs.
Overall Length	33' 5"	31' 5"
Exterior Width	101"	101"
Wheelbase	245"	245"
Overall Exterior Height		
(w/15,000 BTU Roof A/C)	12' 9"	12' 9"
Interior Height	84"	84"
Fuel Capacity	100 Gal.	100 Gal.
Water Capacities (Gal.)		
Fresh/Gray/Black	95/52/52	95/52/52
LPG Capacity (WC)	20.3 Gal./86 lb.	20.3 Gal./86 lb.
Awning Length	16'	16'

- Kenwood[®] 7[®] Touch Screen Dash Infotainment System with AM/FM, Bluetooth[°], Sirius/XM[°] (tuner and antenna), Apple[°] CarPlay[™] / Android[®] Auto[™] Functionality, and Garmin[®] RV Navigation
- 🔳 Air Horn
- 12V Accessory Ports
- One Valve Parking Brake System with Warning Indicator
 Engine After-Treatment Device, Automatic Over-the-Road
- Regeneration, and Dash-Mounted Regeneration Switch Momentary Battery Booster Switch for Connecting
- Chassis and House Batteries
 Marker Lights with Separate Interrupter Switch
- Harker Lights with Separate Interrupter Sw
- Low Air Pressure Light and Buzzer
- Cruise Control
- Adjustable Steering Column
- Hydrographic Woodgrain Cab Accents
- 18" Leather-Wrapped Steering Wheel
- Power and Heated Exterior Mirrors
- Power Windows and Locks
- 3-Point Seat Belts
- Dual Reading Lights
- Two (2) Cup Holders in Dash

CONSTRUCTION

- 2" Aluminum-Framed, Laminated Sidewalls with Dow[®] Block Foam Insulation
- Composite Exterior Fiberglass (No Exterior Wood)
 Aluminum-Framed Floor
- Aluminum-Framed Roof Trusses
- Crowned, One-Piece Fiberglass Roof
- Foil-Lined Ductwork Throughout
- Fiberglass Rear Cap and Front Wing Panels
- Automatic, 4-Point Hydraulic Leveling Jacks
- Dual-Pane, Dark-Tinted, Frameless Windows
- Seamless Rotocast Storage Compartments with LED Lighting
- Side-Hinged, Locking Aluminum Exterior Storage Doors with Paddle Latches

EXTERIOR

- Custom Full Body Paint Package
- Premium Cut and Buffed Paint Finish
- Front-End Diamond Shield® Paint Protection
- Armless Patio Awning with LED Lighting and Motion-Activated Retraction
- Slideout Toppers
- LED Patio Light
- Power Entry Steps
- Entry Door with Rotary Latch; Dark-Tinted, Frameless Window; and Integrated Shade
- Keyless Entry Touch Pad at Entry Door
- Lighted Acrylic Entry Grab Handle
- Exterior Wall-Mounted Entertainment Center with 32" LED Smart TV and Sound Bar

- Front and Rear LED Clearance and Marker Lighting
 Rear Docking Lights
- Black Steel Cab Step Treads
 Rear "DYNAMAX" Rock Guard

INTERIOR

- Front Cab-Over Bunk Area with Mattress (50"x79") and Privacy Curtain
- d Premium Vinyl Flooring Throughout
 - Soft-Touch Padded Vinyl Ceiling
 - Entry with Non-Skid Rubber Steps and Risers
 - LED Recessed Ceiling Lights
- Booth Dinette
 - Coordinating Window Treatments
 - Day/Night Roller Shades
 - Hardwood Shaker-Style Cabinetry
 - Full Extension, Soft-Closing Drawer Guides (where applicable)
 - Hidden Hinges
 - 39" LED Smart TV (Living Area)
 - Sound Bar
 - Thermal, Reflective Front Privacy Shades
 - USB Charging Ports

KITCHEN

- 16 cu. ft. Residential Refrigerator with Ice Maker (Double-Door)
- Sealed Gas Range with Glass Cover
- Convection Microwave Oven
- Solid Surface Countertops with LED Edge Lighting and Backsplash
- Stainless Steel Sink with Solid Surface Covers
- Residential Black Spring Gooseneck Faucet
- Pantry
- Under-Cabinet Lighting
- MaxxAir[®] Power Vent with Built-In Rain Cover

BEDROOM

- King Bed (71"x75") with Gel-Infused Memory Foam Mattress
- Designer Bedding Package
- 32" LED Smart TV
- Cedar-Lined Wardrobe
- LED Reading Lights
- USB Charging Ports

BATHROOM

- Acrylic Shower Surround
- Shower Skylight
- Glass Shower Door
- Oxygenics Body Spa[®] RV Shower Head
- Top-Mount Sink with Residential Faucet
- Porcelain Foot-Flush Toilet
- MaxxAir[®] Power Vent with Built-In Rain Cover

UTILITIES

- Single 12V 8D AGM Deep-Cycle, Maintenance-Free Battery
- Multiplex[®] Wiring with Touch Screen Command Center, Switch Panels, and Bluetooth[®] Smart Phone App Control

FULL BODY PAINT PACKAGES

With Front-End Diamond Shield

Admiral Blue

Khaki

Merlot

Ouicksilver

Stone Ridge

SEUROP/

- Battery Disconnect
- Solar Panel Single 200 Watt with 30 Amp Controller
- 50-Amp Service with Power Cord Reel
- 3,000W Hybrid Pure Sine Wave Inverter/Charger (3,500 Peak Watts)
- 8kW Onan[®] Diesel Generator with Auto Transfer Switch (Mounted on Isolator Pads)
- Automatic Generator Start
- Dual Ducted, Low-Profile 15,000-BTU Air Conditioners with Heat Pump
- 40,000-BTU LP Furnace with Electronic Ignition

■ Winegard[®] AIR 360+[™] Dome Antenna (WiFi Extender,

Cable TV/Satellite Hookup in Service Bay

Furnace-Heated Utility Compartment

Upgraded 12V On-Demand Water Pump

Aerodynamic Fiberglass Front Cap

Mattress and Privacy Curtain

Refrigerator and Side Pantry

most current specifications.

with Cab-Over Cabinets

Thetford[®] Sani-Con Turbo Macerator System

Enclosed and Furnace-Heated Holding Tanks

Carbon-Monoxide, J.P. and Smoke Detectors

Winegard[®] In-Motion T4 Satellite (Dish[®] SD-HD, DirecTV[®]

Extended Fiberglass Front Cap with Cab-Over Bunk

■ 12 cu. ft. 2-Way Refrigerator in place of Standard

Dual, Power Reclining Theater Seats in Place of Sofa

All information contained in this brochure is believed to be accurate

Standards and Options are subject to change during the model year due to factors outside of the direct control of Dynamax, such as

supplier changes/shortages. Dynamax also often makes running

changes during the model year to improve reliability, performance, and/or capacity. Please refer to www.dynamaxcorp.com for the

at the time of publication. Please be advised that the stated

4G LTE, Omnidirectional VHF/UHF OTA, FM, SIM Card Port)

- Combo Washer/Dryer Prep
- On-Demand Water Heater (LP)
- 20.3-Gallon LP Tank (WC)
- LP Quick Connect

4X4 HDMI Matrix

Black Tank Flush

Fire Extinguisher

OPTIONS

SD, BelITV° SD-HD)

(4 gallons per minute)

- Water Filtration System
- Exterior Shower in Service Bay
 Exterior GFCI Receptacle

europa

KEY FEATURES

- Freightliner[®] M2-106B Chassis (33,000 lbs. GVWR / 46,000 lbs. GCWR) with Cummins B 6.7L Turbo Diesel Engine (360hp/800 ft.-lbs. of Torque)
- Allison[®] 3200 TRV Six-Speed Automatic Transmission
- 12,000 lb. Trailer Hitch and Brake Controller
- Leatherette Driver and Passenger Air Ride Seats
- Short Floor Plans for Enhanced Cargo Carrying Capacity and Maneuverability
- Multiplex Wiring with Touch Screen Command Center, Switch Panels, and Bluetooth[®] Smart Phone App Control
- Single 12V 8D AGM Deep-Cycle, Maintenance-Free House Battery + Two 100W Solar Panels with 30 Amp Controller
- 3,000W Hybrid Pure Sine Wave Inverter / Charger (3,500 Peak Watts)
- On-Demand Water Heater (LP)
- Washer / Dryer Combo Prep



DIFFERENT BY DESIGN

2745 Northland Dr. • Elkhart IN 46514 888-295-7859 • www.dynamaxcorp.com

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, occupants, cargo, optional equipment and accessories. For safety and product performance do PID sceed the GWR. GCWR (Gross Schminder Weight Rating) - is the maximum permissible loaded weight of your motor home and any towed trailer or towed vehicle. Actual GCWR (Gross Schwinzer Weight Rating) - is the maximum permissible loaded weight of your motor home and any towed trailer or towed vehicle. Actual GCWR (Gross Schwinzer Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by each axie.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axte(s), including full fuel, all fluids and LP Bas. The UWW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories. **Estimated Average based on standard build optionel equipment.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, passengers, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available (CC should accommodate fresh potable water (8.3 lbs per galion). Before filling the fresh water tank, empty the lack and gray tanks to provide for more cargo capacity.

**Estimated average based on standard build optional equipment.

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities.

Facebook

The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit. Actual towing capacity is dependent upon your particular loading and towing circumstances, which includes the GVWR, GAWR and GCWR as well as adequate trailer brakes. Please refer to the Operator's Manual of your vehicle for further towing information.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Interfore, please consult with your forest River dealer and confirm Find us on

of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. © 2023 Dynamax, a Division of Forest River, Inc., a Berkshire Hathaway company. All Rights Reserved. 01/23



DÉCOR



Your Authorized Europa Dealer



PRE-DELIVERY INSPECTION FACILITY 20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.



Dynamax Owner "Digital Kit" App Now you can have your Owner's Manual with you wherever you are. Download our FREE App from the App Store or Google Play and you'll have the information right at your fingertips.



Paint Video https://www.youtube.com/watch?v=sLgLoR26jfs Factory Video Tour https://www.youtube.com/watch?v=o5cG43PD7SE



