

FURESTER



3011DS Shown in Desert Sand Decor with Rustic Cherry cabinetry

Tasteful design, combined with a unique combination of style, value and preferred amenities make travel in the Forester comfortable and loads of fun. Forester's unique split level design provides maximum headroom in the living area, while still offering pass-through storage on every floorplan. Plus, all Foresters are "Certified Green" by TRA Certification.

STANDARD SERIES TOP FEATURES

- Lane departure warning system
- FR upgraded premium suspension system includes Bilstein shocks and Hellwig sway bar
- Firestone Ride-Rite™ air spring suspension
- ONEControl[®] smart phone remote and monitor system
- 7' Ceiling height
- 40" 12V LED TV
- Crowned fiberglass roof
- Trekker cap option with built-in entertainment center and storage IPO overhead bunk
- 2"Thick gel coat sidewalls with lightweight composite waterproof material
- Heated enclosed tanks
- Water filtration system
- Electric awning with LED lights

- Valve extensions for rear tires
- 7,500 Lb. tow rating (Ford only)
- Two cab-over windows in the bunk area (N/A Trekker cap option)
- Upgraded stainless steel appliances with 1.3 cu. ft. microwave
- Standard side view and back-up cameras
- Front cab magnetic black-out shades enhance privacy
- Solid surface kitchen countertops
- Slide out awning toppers
- Integrated entry step
- CarPlay/Android Play Sony[®] stereo
- Maxx Air vent with cover
- Solar prep





3041DS Shown in Putty decor with Rustic Cherry Cabinetry



3041DS Rear closet









ONEControl® Smart Phone Remote Monitor System

Forester is equipped with ONEControl^{*}, an app based user interface that provides comfort and convenience to control and monitor your RV's functions from an LED touch screen or a smart phone.

Download the free app to get started

Apple and the Apple logo are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Android, Google Play, and the Google Play logo are trademarks of Google Inc.

Lane Departure Warning System

(N/A on LE and Transit models)

- NEW Voyager® VBSD1
 Blind Spot Detection System
- Specifically engineered to enhance Class C motorhome safety
- Visual and audible alerts warn drivers of obstacles not visible in the rear view mirror
- Uses radar detecting sensors on the rear corners of the motorhome that communicate with LED beacons in the cab
- Beacons remain lit until the blind spot is clear
- Beacon flashes with an audible alert when turn signal is engaged



FORESTER

STANDARD SERIES FLOORPLANS






OPTIONS



SIDE-BY-SIDE REFER 2861DS 3011DS 30515 32715







3011DS Shown in Desert Sand Decor with optional Rustic Cherry cabinetry














GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, occupants, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GCWR (Gross Combined Weight Rating) - Is the maximum permissible loaded weight of your motor home and any towed trailer or towed vehicle. Actual GCWR of this vehicle may

be limited by the sum of the GVWR and the installed hitch receiver maximum capacity rating; see hitch rating label for detail.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by each axle.
UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s), including full fuel, all fluids and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories. *Estimated Average based on standard build optional equipment.

more cargo capacity. **Estimated average based on standard build optional equipment.

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV is round to the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit. Actual towing capacity is dependent upon your particular loading and towing circumstances, which includes the GVWR, GAWR and GCWR as well as adequate trailer brakes. Please refer to the Operator's Manual of your vehicle for further towing information.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, passengers, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for


AUBURN

DESERT SAND

PUTTY

RUSTIC CHERRY

CABINETRY



WEATHERED TEAK







Forester Ford • Chevy Chassis	22915	2441DS	2501TS	2861DS	3011DS	3041DS	3051S	32715
Wheelbase	158" • 159"	182"	182" • 183"	202" • 203"	220"	220"	220"	220"
GVWR	14500 • 14200	14500	14500 • 14200	14500 • 14200	14500	14500	14500	14500
GAWRR	9600 • 9600	9600	9600 • 9600	9600 • 9600	9600	9600	9600	9600
GAWRF	5000 • 4600	5000	5000 • 4600	5000 • 4600	5000	5000	5000	5000
UVW	10624 • 10452	11690	11873 • 11910	12500 • 12550	12780	12930	12910	12917
GCWR	22000 • 20000	22000	22000 • 20000	22000 • 20000	22000	22000	22000	22000
CCC	3876 • 3748	2810	2627 • 2290	2000 • 1650	1720	1570	1590	1583
Fuel Capacity (Gal.)	55 • 57	55	55 • 57	55 • 57	55	55	55	55
Hitch Rating	7500/500 • 5000/500	7500/500	7500/500 • 5000/500	7500/500 • 5000/500	7500/500	7500/500	7500/500	7500/500
Length - Bumper To Bumper	24' - 6" • 25'	27' - 1"	27' - 1" • 27' - 7"	30' - 9" • 31' - 3"	32' - 3"	32'-3"	31'-11"	31'-11"
Exterior Height With A/C	11'-3"	11' - 3"	11'-3"	11' - 3"	11'-3"	11'-3"	11'-3"	11'-3"
Exterior Width	101"	101"	101"	101"	101"	101"	101"	101"
Interior Width	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"
Interior Height Frt/Rear	84"/77"	84"/77"	84"/77"	84"/77"	84"/77"	84"/77"	84"/77"	84"/77"
Fresh/Grey/Black Water (Gal.)	44/39/39	44/39/39	44/39/39	44/39/39	44/39/39	44/39/39	44/39/39	44/39/39
L.P. Capacity (Gal.)	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8
Awning Length	15' - 6"	18′	18'	14′	15' - 6"	16′	18'	16′
Water Heater (Gal.)	6	6	6	6	6	6	6	6
Exterior Storage (Cu. Ft.)	61	50	50	62.5	101.7	78	81.8	81.8

PAINT OPTIONS

STANDARD Exterior

OCEAN BLUE Full body paint

SADDLE Full body paint



FR Upgraded Premium **Suspension System**

Includes Bilstein® Shocks, Hellwig **RV Sway Bars and Firestone Ride-Rite Air Springs**

Available on standard Class C, built on Ford E-450 (N/A on MBS, Transit, LE and Chevy)

Bilstein[®] Shock Advantages

- Monotube gas pressure shock absorbers virtually eliminate excessive sway and bounce
- Tested and tuned for your specific motorhome, for a safe and enjoyable ride
- Improved handling and consistent performance
- 228% Larger piston creates greater sensitivity and tighter vehicle control
- Lifetime warranty



Hellwig RV Sway Bar Advantages Increase driving stability at highway speeds and reduce the effects of crosswind

- Improve traction and cornering abilities for safer driving
- No more white knuckle driving
- Most effective handling upgrade available for RVs
- Lifetime warranty

Firestone Ride-Rite Advantages

improved ride, and a better way to balance loads





Large panoramic windows with blackout shades for plenty of fresh air and natural light.



12V 4-Port USB charging station (Living room/bedroom, N/A LE)





Forester is equipped with a residential mattress for a good night's sleep.



Seamless front cap for enhanced aerodynamics



Solar Prep



LED liahts generate almost no heat compared to incandescent lights and use substantially less power.



Winterizing tube provides easy access for quick maintenance includes bypass valve.



The overhead bunk is rated for 440 lbs. and includes a cab over safety net



Solar On-Board roof-mounted, optional 12V charging station



Outside speakers



Forester is appointed with rich residential style hardwood cabinetry with ball bearing drawer glides



Two batteries in a single housing for easy access. (One battery LE and Transit)



This Winegard HD digitally amplified antenna enhances reception.

This compact unit filters water for the entire coach, eliminatina unwanted contaminants and odors, ensuring safe drinking water for you and your family. (N/A LE)





Durable, easy to clean (R-18) crowned fiberglass roof sheds water and doesn't cause black streaks like a rubber roof.



Forester's entry step is integrated into the sidewall. No more slippery, or damaged power steps. (N/A MBS)



Maxx Air Fan recirculates air throughout the entire coach.



Progressive Dynamics patented 4-stage Charge Wizard® converter system has been shown to increase battery life by 2 to 3 times or more. It constantly monitors battery usage and voltage, then selects one of four operating modes to properly charge and maintain the battery. Boost, Normal, Storage and Equalization.



7,500 Lb. Tow capacity (Ford E450)



Heated/enclosed holding tanks use warm air from the furnace to protect tanks and valves. (N/A 2251 SLE, MBS and Transit)



Comfortable sofa with footrests, folding armrests and drink tray converts to a convenient sleeping area.



The Sony touch screen in-dash stereo system pairs up with your smart phone for access to Apple CarPlay/Android GPS and other applications. (N/A on Transit or LE)



WATER HEATER



Atwood 18 GPH water heaters (6 gallon tank) out perform traditional 10 and 12 gallon tank water heaters. They're also 50% lighter and have no anode rod to replace.



All models include Atwood ducts for high performance air flow throughout the coach and front cabover.



Extend and retract the power awning with the push of a button. Both arms are adjustable to get just the right angle.



This multimedia entertainment system features AM/FM/DVD, Bluetooth, plus outside speaker control.





- 1. Crowned Fiberglass Roof 4. A/C Ducts
- 2. Luan Decking
- 5. Tubular Aluminum Framing
- 3. Block Foam Insulation 6. Interior Ceiling Material

Vacuum-Bond Laminated Sidewalls

- 7. Decorative Interior Wall Board
- 8. Tubular Aluminum Framing
- 9. EGS Metal Backers
- 10. Block Foam Insulation
- 11. Opening Framed In Aluminum
- 12. Lightweight Composite Waterproof Material
- 13. Gelcoat Fiberglass Exterior

Vacuum-Bond Laminated Floor System

- 14. Fiberglass Bottom Board 17. Resilient Shaw Floors
- 15. Block Foam Insulation
- Throughout
- **16.** Seamless Floor Decking
- 18. Aluminum Framing





FORESTER

2" Wall with Block Foam and SuperLite (R-10)



SUPER LITE WALLS

All models use SuperLite composite instead of a wood substrate on the sidewalls. It is lightweight, formaldehyde free and is not affected by moisture.



COMPETITION 1.5" Wall with Luan (R-6)

FURESTER (



3251DSLE Shown in Putty Decor with optional Rustic Cherry cabinetry

LE SERIES TOP FEATURES

- Fiberglass front cap
- Crowned fiberglass roof
- Fiberglass underbelly
- Fiberglass enclosed slides
- Cab-over safety net
- Cab-over curtain
- Cab-over A/C vent
- Two cab-over windows
- 40" 12V LED TV
- 2" Thick sidewalls
- Heated enclosed tanks (N/A 2251 SLE)
- Pass through storage
- Enclosed dump station
- Enclosed house battery
- One-piece pressed countertop
- Upgraded stainless steel appliances with 1.3 cu. ft. microwave
- Two large storage drawers in dinette
- Dinette child tethers
- Sofa foot rest
- Kid zone with seat belts (3251DSLE)
- Whole house entertainment
- Outdoor speakers
- Progressive Dynamics convertor with Quick Recovery
- Integrated step
- Pillow top mattress
- MCD Black-out roller shades
- Spare tire
- Lightweight substrate insulation





2251SLE



2351LE



2851SLE





3251DSLE Shown in Putty Decor with optional Rustic Cherry cabinetry

Ford • Chevy	2251SLE	2351LE	2851SLE	3251DSLE
Wheelbase	158" • 159"	158" • 159"	220"	220"
GVWR	14500 • 14200	14500 • 14200	14500	14500
GAWRR	9600 • 9600	9600 • 9600	9600	9600
GAWRF	5000 • 4600	5000 • 4600	5000	5000
UVW	10550 • 10590	10100 • 10130	11742	12580
GCWR	22000 • 20000	22000 • 20000	22000	22000
ССС	3950 • 3610	4400 • 4070	2758	1920
Fuel Capacity (Gal)	55 • 57	55 • 57	55	55
Hitch Rating	7500/500 • 5000/500	7500/500 • 5000/500	7500/500	7500/500
Length - Bumper To Bumper	23' - 10" • 24' - 4"	24' - 6" • 25'	31' - 5"	32' - 3"
Exterior Height With A/C	11'-3"	11'-3"	11'-3"	11' - 3"
Exterior Width	101"	101"	101"	101"
Interior Width	95.5"	95.5"	95.5"	95.5"
Interior Height Frt/Rear	84"/77"	84"/77"	84"/77"	84"/77"
Fresh/Grey/Black Water (Gal)	35/32/27	44/39/39	44/39/39	44/39/39
L.P. Capacity (Gal)	9.8	9.8	9.8	9.8
Awning Length	14′	15' - 6"	15' - 6"	11′
Water Heater (Gal)	6	6	6	6
Exterior Storage (Cu. Ft.)	32	61	102	80



3251DSLE shown in Putty Decor with optional Rustic Cherry cabinetry, and Kid's Sofa Sleeper/Flip-down Bunk.

FURESTER WIS

MBS SERIES TOP FEATURES

- Lane departure warning system
- ONEControl® smart phone remote and monitor system
- Swivel driver and passenger seats with booster seat cushions and removable table
- Trekker cap option with built-in entertainment center and storage IPO overhead bunk
- Adjustable, electric awning with LED light strip
- Crowned fiberglass roof
- Water filtration system
- Standard side view and back-up camera

- Front cab magnetic blackout shades enhance privacy
- Hellwig sway bar
- CarPlay/Android Play Sony®
- Upgraded stainless steel appliances with 1.3 cu. ft. microwave
- Gel coat sidewalls with SuperLite composite
- Optional diesel generator
- Slide out awning toppers
- Optional 100W solar powered 12V charging system

OPTION



2401R, 2401S,

MERCEDES-BENZ® SERIES The quality you've come to expect, paired with a fuel efficient Mercedes-Benz diesel platform.


Forester MBS	2401R	24015	2401W
Wheelbase	170.3	170.3	170.3
GVWR	11030	11030	11030
GAWRR	7720	7720	7720
GAWRF	4080	4080	4080
UVW	9944	9809	9924
GCWR	15250	15250	15250
ССС	1086	1221	1106
Fuel Capacity (Gal)	26.4	26.4	26.4
Hitch Rating	4200/350	4200/350	4200/350
Length - Bumper To Bumper	24' - 11"	24' - 8"	24'- 11"
Exterior Height With A/C	11' - 3"	11'-3"	11'-3"
Exterior Width	94.5"	94.5"	94.5"
Interior Width	91"	91"	91"
Interior Height Frt/Rear	81"/74"	81"/74"	81"
Fresh/Grey/Black Water (Gal)	35/30/30	35/33/33	35/32/32
L.P. Capacity (Gal)	16.6	16.6	16.6
Awning Length	16′	15'- 6"	15'- 6"
Water Heater (Gal)	6	6	6

75



2401W Shown in Auburn Decor with optional Weathered Teak cabinetry





54" x 80" BUNK MAT OR OPT. TREKKER CAP W/BUILT-IN ENT. CENTER **2401S**

Exterior Storage (Cu. Ft.)

U-DINETTE 41" x 76" QUEEN BED 60" x 75" 2401W

50.3

67

BLUETEC DIESEL ENGINE

BlueTec SCR Technology is one of the world's cleanest diesel engines, delivering more power, while producing fewer emissions. The 3.01 V-6 enaine boasts 188 hp and 325 lb-ft of rated torque.

cap is accented with LED light strips. Saddle full body paint option

Lane Departure Warning System


- NEW Voyager® VBSD1 Blind Spot **Detection System**
- Specifically engineered to enhance Class C motorhome safety
- Visual and audible alerts warn drivers of obstacles not visible in the rear view mirror
- Uses radar detecting sensors on the rear corners of the motorhome that communicate with LED beacons in the cab

Standard swivel seats and booster cushions.









TS2381 Gas or diesel

TS SERIES TOP FEATURES

- Engineered for fuel efficiency
- Ultra-light, eco-friendly building materials
- Class-leading pass-through storage
- Residential style cabinetry
- 12V LED TV
- Gas and diesel engines available (TS2371 Diesel only)
- 5.3 Cu. ft. Eurostyle refrigerator operates on 12V/110/LP
- All enclosed bathrooms with privacy door (No wet baths)
- Passenger swivel seat
- Back-up and side view cameras
- Power awning with LED light strip
- Interior surround sound entertainment system
- Exterior speakers
- Truma Combi electric heat and high efficiency water heater
- TS2371 includes power twin beds that convert into a

Forester TS	TS2371	TS2381
Wheelbase	178	178
GVWR	10360	10360
GAWRR	7275	7275
GAWRF	4130	4130
UVW	8714	8145
GCWR	13500	13500
CCC	1646	2215
Fuel Capacity (Gal)	25	25
Hitch Rating	-	-
Length - Bumper To Bumper	26' - 1"	25' - 6"
Exterior Height With A/C	10' - 5"	10' - 5"
Exterior Width	87"	87"
Interior Width	84"	84"
Interior Height Frt/Rear	78"	78"
Fresh/Grey/Black Water (Gal)	35/30/28	35/30/30
L.P. Capacity (Gal)	9.8	9.8
Awning Length	15′	15"
Water Heater (Gal)	2.5	2.5
Exterior Storage (Cu. Ft.)	30.5	29



Transit Series is available in Charcoal decor only.

DECOR









STANDARD FEATURES & OPTIONS


O: OPTION • S: STANDARD • —: NOT APPLICABLE

WARRANTY	FR	GTS	MBS	LE	TS
12 Months/12,000 mile basic limited warranty	S	S	S	S	S
Chassis warranty (see owners manual)					
SYSTEMS	FR	GTS	MBS	LE	TS
Battery disconnect	S	S	S	S	S
Nater heater bypass	S	S	S	S	S
2) Deep cycle coach batteries (1 battery in LE and TS)	S	S	S	S	S
'Easy Access" battery in step-well	S	S	S	S	S
30 Amp service with detachable cord	S	S	S	S	S
60 Amp Progressive Dynamics converter	S	S	S	S	S
6 Gallon DSI gas/electric water heater	S	S	S	S	=
30,000 BTU furnace	S	S	S	S	Ξ
Truma Combi water heater/furnace	_		_	_	S
Emergency start switch	S	S	_	S	S
Satellite/cable connection	S	S	S	S	S
13,500 BTU ceiling ducted roof air	S	S	S	S	S
4.0 KW Onan Microquiet generator	S	S	_	S	
3.6 KW Onan LP generator	_		S	_	
2.8 KW Onan gasoline generator (Gas Transit only)	_		_	_	S
2.5 KW Onan LP generator (Diesel Transit only)	_		_		S
Automatic generator transfer switch	S	S	S	_	
Firestone Ride-Rite air helper springs	5	S	_		
Hellwig sway bar	_	-	 S		
	<u> </u>	S	S	_	S
Water filtration system Heated, enclosed holding tanks and valves (N/A 2251SLE)	S	S	3	<u> </u>	3
Arctic Package (12V tank heaters)	0		S	0	_
	0	0	_		0
15K BTU A/C with heat pump			0	0	_
CO ₂ , LP and smoke detector	S	S	S	S	S
lack digital antenna	S	S	S	S	S
EXTERIOR	FR		MBS	LE	TS
2" Aluminum framed laminated sidewalls	S	S	_	S	_
1.5" Aluminum framed laminated sidewalls		_	S		S
SuperLite composite substrate	S	S	S	S	=
Gel Coat exterior fiberglass	S	S	S	S	S
Block foam insulation	S	S	S	S	S
Power patio awning with LED light strip	S	S	S	S	S
Slide-out awnings	S	S	S	_	S
Fiberglass roof	S	S	S	S	S
					S
One-piece fiberglass front cap	S	S	S	S	
One-piece fiberglass front cap LED exterior lights	S	S	S	S	S
			_		S
LED exterior lights	S	S	S		_
LED exterior lights Exterior skirt paint	S	S	S	S —	S
LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions	S S	S S S	S S	S —	S
LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments	S S S	S S S	S S S	S — S —	S S
LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light	\$ \$ \$ \$ \$	S S S S	S S S S	S — S — S	S S
LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards	S S S S S	S S S S S	S S S S	S S — S	S S - S
LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle	\$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S	S S S S S	S — S — — — S	S S - S -
LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Finted sliding windows	S S S S S	S S S S S S —	S S S S S S S S S	S — S — S — — — —	S S S S
LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Finted sliding windows Finted frameless windows	S S S S S S S S	S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S — S — S — S S S	S S - S -
LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Finted sliding windows Finted frameless windows Heated, remote exterior mirrors	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S	S — S — S S — — S — — — S — — — — — — —	S S S S
LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Finted sliding windows Finted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450)	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S — S — S — — S — — S — — S — — S	S S S S
LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Finted sliding windows Finted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector (Chevy/E350)	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S — S — S S — — S — — — S — — — — — — —	S S S S
LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Finted sliding windows Finted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S — S — S S S — S S — S S S — S S S — S S S — S S S — S S S — S S S — S S S — S S S — S S S — S S S — S S S — S S S — S S S — S S S — S S S — S S S — S S S — S S S — S S S — S S S — S S S S — S S S S — S S S — S S S S — S S S S S S — S S S S S — S S S S S — S S S S S S — S S S S S S S — S	S S S S S S S S S S S S S S S S S S S
LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Finted sliding windows Finted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S - S S - S S S S S S S S S S S S S S S	S S S S
LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Finted sliding windows Finted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector Spare tire Roof ladder (N/A 2401R)	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S — S — S S — S S — S S S — S S S S S S	S S S S S S S S S S S S S S S S S S S
LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Finted sliding windows Finted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector Spare tire Roof ladder (N/A 2401R) Integrated entry step	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S - S S - S S S S S S S S S S S S S S S	S S S S S — — — — — — — — — — — — — — —
LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Finted sliding windows Finted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector Spare tire Roof ladder (N/A 2401R) Integrated entry step	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S — S — S S — S S — S S S — S S S S S S	S S S S S S S S S S S S S S S S S S S
ED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Finted sliding windows Finted frameless windows Finted f	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S - S S S S S S	S S S S S S S S S S S S S S S S S S S
LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 1100, GFI protected exterior receptacle Finted sliding windows Finted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector Spare tire Roof ladder (N/A 2401R) Integrated entry step Power entry step Doutside shower Automatic leveling system (4-point) (N/A on Chevy)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S — S — S S — S S — S S S — S S S S S S	S S S S S S S S S S S S S S S S S S S
LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 1100, GFI protected exterior receptacle Finted sliding windows Finted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector Spare tire Roof ladder (N/A 2401R) Integrated entry step Power entry step Doutside shower Automatic leveling system (4-point) (N/A on Chevy)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S - S S S S S S	S S S S S S S S S S S S S S S S S S S
LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Finted sliding windows Finted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector (Chevy/E350) 6,000 Lbs. hitch, 7-pin connector (Chevy/E350) H,200 Lbs. hitch, 7-pin connector Floare tire Roof ladder (N/A 2401R) Integrated entry step Dower entry step	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S - S S S S S S	S S S S S S S S S S S S S S S S S S S
LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Finted sliding windows Finted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S - S S S S S S	S S S S S S S S S S S S S S S S S S S
LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Finted sliding windows Finted frameless windows Fleated, remote exterior mirrors Fo,500 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector Foare tire Roof ladder (N/A 2401R) Integrated entry step Fower entry step Fourside shower Automatic leveling system (4-point) (N/A on Chevy) Fistabilizer jacks (2-point) Full body paint Foutside 12V. LED TV (See floorplans)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S - S S S S S S	S S S S S S S S S S S S S S S S S S S
LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Finted sliding windows Finted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector Spare tire Roof ladder (N/A 2401R) Integrated entry step Power entry step Dutside shower Automatic leveling system (4-point) (N/A on Chevy) Stabilizer jacks (2-point) Full body paint	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S - S S S S S S	S S S S S S S S S S S S S S S S S S S
LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Finted sliding windows Finted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector Spare tire Roof ladder (N/A 2401R) Integrated entry step Power entry step Dutside shower Dutside shower Stabilizer jacks (2-point) Full body paint Dutside 12V. LED TV (See floorplans) P quick connect Black tank flush	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S - S S S S S S	S S S S S S S S S S S S S S S S S S S
LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Finted sliding windows Finted frameless windows Finted frameless windows Finted frameless windows Food Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector Foare tire Roof ladder (N/A 2401R) Integrated entry step Power entry step Power entry step Dutside shower Automatic leveling system (4-point) (N/A on Chevy) Stabilizer jacks (2-point) Full body paint Dutside 12V. LED TV (See floorplans) LP quick connect	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S - S S S S S	S S S S S S S S S S S S S S S S S S S
LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Finted sliding windows Finted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector Spare tire Roof ladder (N/A 2401R) Integrated entry step Power entry step Dutside shower Automatic leveling system (4-point) (N/A on Chevy) Stabilizer jacks (2-point) Full body paint Dutside 12V. LED TV (See floorplans) LP quick connect Black tank flush CAB AREA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S S S S S S S S S S S S S S S	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$	S S S S S S S S S S S S S S S S S S S

Ultra leather driver and passenger seats	CAB AREA	FR	GTS	MBS	LE	TS
New Forestand						
Reyless entry (N/A Chevy)					5	
Color back-up camera with rear view monitor Side view cameras Side v		5	5	S	5	5
Side view cameras						
Wood grain dash S S S S —						
Removable cab mat Swivel driver seat (N/A Chevy, Power) O O S — — Power driver seat (Ford only) O O S — — Swivel passenger seat (N/A Chevy) O O S — — KITCHEN Recessed 3-burner range with flush glass cover S S S S — Stainless steel appliances S S S S — — Range hood with fan and light S S S S S — — Microwave oven O S S — — — S — — S — — — S — S — S — S — S — S — S — — — S — S — S — S — — — — S — S — S — — — — S — S — — — — S — S — — — — S — S — — — — S — S — — — — S — S — — — — S — S — S — — — — S — S — S — — — — — S — S — — — — S — S — S — — — — S — S — S — — — — — S — S — S — S — — — — — S — S — S — S — — — — — S — S — S — S — — — — — S — S — S — — — — — S — S — S — — — — — S — S — S — S — — — — — — S — S — S — S — — — — — — S — S — S — — — — — — S — S — S — — — — — — — S — S — S — — — — — — — — S — S — S — — — — — — — — S — S — S —				_	_	_
Swivel driver seat (N/A Chevy, Power) Power driver seat (Ford only) Swivel passenger seat (N/A Chevy) WITCHEN RECESSED 3-burner range with flush glass cover Stainless steel appliances Range hood with fan and light S S S S S S S S S S S S S S S S S S S			_			
Power driver seat (Ford only) Swivel passenger seat (N/A Chevy) RITCHEN Recessed 3-burner range with flush glass cover S S S S S S S S S S S S S S S S S S S		0	0			
Swivel passenger seat (N/A Chevy) RETCHEN Recessed 3-burner range with flush glass cover S S S S — Range hood with fan and light S S S S — Range hood with fan and light S S S S — Range hood with fan and light S S S S — Oven IPO drawer Microwave oven S — — O — — Microwave oven S — — S — Convection microwave O S S — S 6 Cu. ft. double door refrigerator with ice maker (2861DS, 3011DS, 3051S, 3271S) Sink covers S S S S — S S S S — Sink covers S S S S — Sink covers S S S S — Sink covers S S S S — S S S S — Sink covers S S S S — S S S S — Sink covers S S S S — Sink covers S S S S — S S S S — Sink covers S S S S — S S S S — Sink covers S S S S S — S S S S — Sink covers S S S S — S S S S — S S S S — S S S S				_	_	
KITCHEN Recessed 3-burner range with flush glass cover S S S S S S S S S S S S S S S S S S S					=	
Recessed 3-burner range with flush glass cover Stainless steel appliances S S S S — Range hood with fan and light S S S S S — Range hood with fan and light S S S S S — Oven IPO drawer ————————————————————————————————————				_		TS
Stainless steel appliances Range hood with fan and light Oven IPO drawer Oven IPO drawer Convection microwave S — — S Convection microwave Convection maker Convection microwave Convection microwave Convection microwave Convection microwave Convection microwave Convection maker Convection microwave Convection micro						
Range hood with fan and light S S S S — Oven IPO drawer Microwave oven S — S — S — Convection microwave O S S — S — 6 Cu. ft. double door refrigerator 12 Cu. ft. four door refrigerator with ice maker (2861DS, 3011DS, 3051S, 3271S) O — — — — — — — — — — — — — — — — — —					<u> </u>	
Oven IPO drawer —					-	
Microwave oven			3	-		
Convection microwave		_		-		
6 Cu. ft. double door refrigerator 12 Cu. ft. four door refrigerator with ice maker (2861DS, 3011DS, 3051S, 3271S) 0 Sink covers 5 5.3 Cu. ft. lightweight LP/Electric 110V refrigerator S Full extension ball bearing drawer guides 5 5 5 5 Solid surface galley 5 5 5 5 5 5 5 Solid surface galley 5 5 5 5 5 5 5 Solid surface galley 5 5 5 5 5 5 5 Solid surface galley 5 5 5 5 5 5 5 5 Solid surface galley 5 5 5 5 5 5 5 5 5 Solid surface galley 5 5 5 5 5 5 5 5 5 Solid surface galley 5 5 5 5 5 5 5 5 5 Solid surface galley 5 5 5 5 5 5 5 5 5 Solid surface galley 5 5 5 5 5 5 5 5 5 5 Solid surface galley 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5			_			_
12 Cu. ft. four door refrigerator with ice maker (2861DS, 3011DS, 3051S, 3271S) Sink covers Si						3
Case			3	3		
Sink covers 5.3 Cu. ft. lightweight LP/Electric 110V refrigerator Full extension ball bearing drawer guides Full extension ball bearing drawer guides S S S S — Flip-up countertop extension S S S S S — Solid surface galley S S S S — BATHROOM FR GTS MBS LE TS Lightweight composite toilet with hand sprayer S S S S S S Glass shower door Lightweight Arcadia shower door S S — — — S S S Towel bar, tissue, toothbrush and soap holder S S S S S S S Flectric roof fan S S S S S S S Shower head with flexible extension S S S S S S S Shower skylight S S S S S S S S BEDROOM FR GTS MBS LE TS Upgraded memory foam mattress S S S S S S S S S S S S S S S S S S		0	_	_	_	_
5.3 Cu. ft. lightweight LP/Electric 110V refrigerator Full extension ball bearing drawer guides Full extension Substitute Substitute Full extension Substitute Full extensio			-	-		-
Full extension ball bearing drawer guides Flip-up countertop extension Solid surface galley FR GTS MBS LE TS Lightweight composite toilet with hand sprayer Lightweight Arcadia shower door Lightweight Arcadia shower door Towel bar, tissue, toothbrush and soap holder SSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS			3		_	
Flip-up countertop extension		_	_			3
Solid surface galley						
BATHROOM FR GTS MBS LE TS Lightweight composite toilet with hand sprayer S <td></td> <td></td> <td></td> <td>_</td> <td></td> <td></td>				_		
Lightweight composite toilet with hand sprayer S<						TC
Glass shower door						
Lightweight Arcadia shower door				3		3
Towel bar, tissue, toothbrush and soap holder			3		_	_
Electric roof fan		_	_			
Shower head with flexible extension S					_	
Shower skylight S						
BEDROOM FR GTS MBS LE TS Upgraded memory foam mattress S S S S Bedspread (N/A TS2371) S S S S Bedroom TV S S S S S Cedar lined closet S S S — S S — — LIVING ROOM FR GTS MBS LE TS Dream dinette (N/A with U-shape dinettes) S S S — — Visionary pull out sofa (60" x 74") (3011DS) S — — — — Black-out roller shades S S S S — Surround sound S S S — Child seat head tethers in dinette S S S — Maxx Air fan with rain/temp sensor and power dome S S S — LED floor lighting S S S — —				_		
Upgraded memory foam mattress						
Bedspread (N/A T52371)						
Bedroom TV			_			_
Cedar lined closet S S S — LIVING ROOM FR GTS MBS LE TS Dream dinette (N/A with U-shape dinettes) S S S — — Visionary pull out sofa (60"x 74") (3011DS) S — — — — Black-out roller shades S S S S S — Surround sound S S S S S — Child seat head tethers in dinette S S S S — Maxx Air fan with rain/temp sensor and power dome S S S — S LED floor lighting S S S — —				_		
LIVING ROOM FR GTS MBS LE TS Dream dinette (N/A with U-shape dinettes) S S S — Visionary pull out sofa (60" x 74") (3011DS) S — — — Black-out roller shades S S S S — Surround sound S S S S — Child seat head tethers in dinette S S S S — Maxx Air fan with rain/temp sensor and power dome S S S — S LED floor lighting S S S — —					_	3
Dream dinette (N/A with U-shape dinettes) S S S — Visionary pull out sofa (60" x 74") (3011DS) S — — — Black-out roller shades S S S S — Surround sound S S S — — Child seat head tethers in dinette S S S — — Maxx Air fan with rain/temp sensor and power dome S S S — S LED floor lighting S S S — —				_	15	TC
Visionary pull out sofa (60" x 74") (3011DS) S — — — Black-out roller shades S S S S Surround sound S S S S Child seat head tethers in dinette S S S S Maxx Air fan with rain/temp sensor and power dome S S S S LED floor lighting S S S —						13
Black-out roller shades S S S S Surround sound S S S S C Child seat head tethers in dinette S S S S S C Maxx Air fan with rain/temp sensor and power dome S S S S S S LED floor lighting S S S S S S S			3	-	_	
Surround sound S S S S S S C Child seat head tethers in dinette S			_		_	
Child seat head tethers in dinette S S S S — Maxx Air fan with rain/temp sensor and power dome S S S — S LED floor lighting S S S — —			_	_		_
Maxx Air fan with rain/temp sensor and power dome SSSS—SSLED floor lighting SSSS——						
LED floor lighting S S S — —				_		_
				_	_	5
12V. USB charging station SSSS—S					_	_
	12V. USB charging station	S	S	S	_	S

INTERACTIVE MOBILE MANUALS

Download our mobile app or visit our dynamic online manual to enhance your ownership experience. These interactive options provide incredible ease and insight into use, maintenance and enjoyment of your Forester product. Ranging from "How-To" videos, pictures



and illustrations of various components, systems and features, to fully searchable content and downloadable PDFs for individual component owner's manuals, answers are always just a click away. View the online manual at www.forestriverinc.com/ownersmanuals, or download our FREE app from the App Store or GooglePlay!

For more information please visit: www.forestriverinc.com/forester 914 CR 1 • Elkhart, In 46514 • 574.262.2212 • 800.445.2825







PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.



24/7 EMERGENCY **ROADSIDE ASSISTANCE** WITH VEHICLE PURCHASE*

TOWING JUMP-STARTS TIRE CHANGES FLUID DELIVERY LOCKOUT SERVICE

WINCH-OUT MOBILE MECHANIC **TECHNICAL** SUPPORT DEALER LOCATOR **SERVICES**



***VALID FOR 1 YEAR FROM DATE OF PURCHASE**



smart phone to learn more about Forest River.



All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. ©2018 Forester - a Division of Forest River, Inc. - a Berkshire Hathaway Company 11/18

CUSTOMER SATISFACTION



www.ForestRiverBuvLocal.com

Your Local Forester Dealer