BY FOREST RIVER



A TOP SELLING LIGHT WEIGHT BRAND NATIONALLY **OVER 15 YEARS OF SUPERIOR CRAFTSMANSHIP AND EXPERIENCE**



PVC ROOF **MAXIMUM PROTECTION**

No Treatments Ever!

• 15 Year Warranty, 100% Coverage

· 2x the Tear Resistance of Rubber & TPO

· Stays Significantly Cooler Than Rubber & TPO

· No chalk, streaks, or spots



Pet Friendly

· PET LEASH CONNECTION

OUTSIDE SHOWER




ULTRA-LIGHT. LEGENDARY VALUE.

Superior craftsmanship is evident in every Surveyor Legend series. Lightweight floorplans are smartly designed for ultimate camping comfort, resulting in unmatched value in its class.

FLOORPLANS

ST=Storage PT=Pass Thru Storage OHD=Overhead Cabinet





SPECIFICATIONS**

| MODEL | 19BHLE | 19RBLE |
|----------------------------|--------|--------|
| Unloaded Vehicle Weight | 3599 | 3594 |
| Cargo Carrying Capacity | 1101 | 1166 |
| Hitch Weight | 300 | 360 |
| Overall Length | 23' 4" | 23' 4" |
| Exterior Width | 88" | 88" |
| Exterior Height (with A/C) | 10' 1" | 10' 1" |
| Fresh Water (gal.) | 36 | 36 |
| Grey Water (gal.) | 30 | 30 |
| Black Water (gal.) | 30 | 30 |
| Awning Size | 12' | 14' |

^{**} We know weights and dimensions are an important part of your buying decision. Please refer to the back page for specification definitions.

BUILT TO A HIGHER STANDARD

1 ALUMINUM CAGE CONSTRUCTION. Aluminum framing around all openings resulting in the best structural integrity in its class.

- WALL CONSTRUCTION.
 2 Pinch roll laminated with 100% glue coverage. Azdel exterior.
 - · Block foam insulated.

FULLY WALKABLE ROOF.
16" on center aluminum trusses (N/A 19BHLE and 19RBLE) featuring 3/8" decking, residential insulation and PVC roof membrane for maximum durability and protection.

ENCLOSED & HEATED UNDERBELLY.

4 Fully enclosed underbelly with radiant heat (model specific). Our 2 inch aluminum floor features block foam insulation and double layer plywood on the interior, offset for higher integrity.



5 Unlike other manufacturers, every model we build comes standard with ducted A/C featuring adjustable vents throughout (N/A 19BHLE and 19RBLE).











FLOORPLANS

ST=Storage PT=Pass Thru Storage OHD=Overhead Cabinet
























SPECIFICATIONS**

| MODEL | 191T | 200MBLE | 201RBLE | 240BHLE | 241RBLE | 248BHLE | 264RKLE | 295QBLE | 322BHLE | 323BHLE |
|----------------------------|--------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| Unloaded Vehicle Weight | 3396 | 4601 | 4158 | 5137 | 4961 | 5504 | 4886 | 5995 | 7404 | 7581 |
| Cargo Carrying Capacity | 1440 | 2879 | 1267 | 2380 | 2579 | 2106 | 2743 | 1782 | 2144 | 2015 |
| Hitch Weight | 436 | 480 | 425 | 517 | 540 | 610 | 629 | 777 | 748 | 796 |
| Overall Length | 20' 4" | 23' 8" | 24' 5" | 25' 11" | 27' 0" | 29' 11" | 29' 4" | 33' 0" | 37' 1" | 37' 1" |
| Exterior Width | 96" | 96" | 96" | 96" | 96" | 96" | 96" | 96" | 96" | 96" |
| Exterior Height (with A/C) | 10' 5" | 11' O" | 10' 5" | 11' 3" | 11' 2" | 11' 3" | 10' 5" | 11' 2" | 11' 5" | 11' 5" |
| Fresh Water (gal.) | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 |
| Grey Water (gal.) | 40 | 40 | 40 | 40 | 65 | 60 | 60 | 40 | 75 | 75 |
| Black Water (gal.) | 30 | 30 | 30 | 30 | 35 | 30 | 30 | 30 | 35 | 35 |
| Awning Size | 11' | 13' | 14' | 18' | 17' | 17' | 20' | 16' | 17' | 17' |

^{**} We know weights and dimensions are an important part of your buying decision. Please refer to the back page for specification definitions.



for more photos, virtual tours, training videos and the latest model standards and



















BUILT TO A HIGHER STANDARD

5 SIDE ALUMINUM CAGE CONSTRUCTION.

Aluminum framing around all openings resulting in the best structural integrity in its class.

- WALL CONSTRUCTION.
 Pinch roll laminated with 100% glue coverage.

250FKS

Azdel exterior.
Block foam insulated.

FULLY WALKABLE ROOF.
16" on center aluminum trusses featuring 3/8" decking, residential insulation and PVC roof membrane for maximum durability and protection.

ENCLOSED & HEATED UNDERBELLY. Fully enclosed underbelly with radiant heat. Our 2 inch aluminum floor features block foam insulation and double layer plywood on the interior, offset for



3/4 FIBERGLASS CAP WITH WINDOW. Our luxury lineup features a 3/4 gelcoat fiberglass cap









A SUPERIOR LUXURY LIGHTWEIGHT.

The Surveyor Luxury series offers residential style kitchen cabinetry, spacious pantries, seamless kitchen countertops, dinettes with storage, large entertainment centers and residential size beds, resulting in affordable elegance in every floorplan. Surveyor value without compromise.


















FLOORPLANS

ST=Storage PT=Pass Thru Storage OHD=Overhead Cabinet



SPECIFICATIONS**


| MODEL | 220RBS* | 226RBDS* | 243RBS | 245BHS | 247BHDS* | 250FKS | 251RKS | 265RLDS | 266RLDS | 267RBSS | 271RLS | 287BHSS | 33KRETS | 33KRLOK | 33KFKDS |
|----------------------------|---------|----------|--------|--------|----------|--------|--------|---------|---------|---------|--------|----------------|---------|---------|---------|
| Unloaded Vehicle Weight | 4523 | 5028 | 5174 | 5204 | 5836 | 5543 | 5721 | 6036 | 6089 | 5787 | 5580 | 6065 | 7473 | 7614 | 7128 |
| Cargo Carrying Capacity | 1008 | 2630 | 2380 | 2422 | 1745 | 2232 | 2047 | 1726 | 1689 | 1831 | 1976 | 1545 | 2157 | 1951 | 2547 |
| Hitch Weight | 531 | 658 | 554 | 626 | 581 | 775 | 768 | 762 | 778 | 618 | 556 | 610 | 830 | 765 | 875 |
| Overall Length | 24' 11" | 25' 10" | 27' 8" | 28' 3" | 29' 4" | 28' 9" | 29' 6" | 31' 3" | 31' 3" | 30' 11" | 30' 5" | 32' 10" | 36' 5" | 36' 11" | 36' 11" |
| Exterior Width | 96" | 96" | 96" | 96" | 96" | 96" | 96" | 96" | 96" | 96" | 96" | 96" | 96" | 96" | 96" |
| Exterior Height (with A/C) | 10' 5" | 11' O" | 11' 0" | 11' 0" | 11' 3" | 11' 3" | 11' 2" | 11' 2" | 11' 2" | 11' 3" | 11' 3" | 11' 3" | 11' 5" | 11' 5" | 11' 5" |
| Fresh Water (gal.) | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 | 46 |
| Grey Water (gal.) | 40 | 40 | 40 | 40 | 70 | 60 | 60 | 40 | 40 | 60 | 40 | 60 | 75 | 75 | 60 |
| Black Water (gal.) | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 35 | 35 | 30 |
| Awning Size | 14' | 17' | 12' | 14' | 15' | 21' | 20' | 18' | 18' | 19' | 21' | 19' | 20' | 21' | 21' |





































PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.



24/7 EMERGENCY ROADSIDE ASSISTANCE WITH VEHICLE PURCHASE

TOWING
JUMP-STARTS
TIRE CHANGES
FLUID DELIVERY
LOCKOUT
SERVICE

WINCH-OUT MOBILE MECHANIC TECHNICAL SUPPORT DEALER LOCATOR SERVICES



***VALID FOR 1 YEAR FROM DATE OF PURCHASE**



Forest River Owner "Digital Kit" App

Now you can have your Owner's Manual with you wherever you are. Download our FREE App from the App Store or Google Play and you'll have the information right at your fingertips.

CUSTOMER SATISFACTION



www.ForestRiverBuyLocal.com



Learn More

Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



A Berkshire Hathaway company

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. 12/18

©Copyright 2018 Forest River Inc – All Rights Reserved.

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

*Estimated Average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

** Estimated average based on standard build optional equipment.

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.



Surveyor Division Forest River, Inc. 2405 Century Dr. Goshen, IN 46528 (574) 642.3119 www.forestriverinc.com/surveyor www.forestriveraccessories.com



Your Local Surveyor Dealer