





Shown with the low profile seamless Trekker cap option for aerodynamic styling and improved fuel economy. Cobalt full body paint option shown.

> Control RV systems, access how-to videos, get product information and RV resources via an easy to use wireless touch screen with "My RV", the smart phone remote monitor system.

Cobblestone Decor and optional Weathered Teak cabinetry is shown with Trekker low profile front cap entertainment center.

STANDARD SERIES

FORESTE



Tasteful design, combined with a unique combination of style, value and preferred amenities make travel in the Forester comfortable and loads of fun. Forester's unique split level design provides maximum headroom in the living area, while still offering pass-through storage on every floorplan. Plus, all Foresters are "Certified Green" by TRA Certification.

### CLASS C TOP FEATURES

- "My RV" smart phone remote and monitor system
- 7' Ceiling height
- 40" 12V LED TV
- Crowned fiberglass roof
- 2" Thick gel coat sidewalls with lightweight composite waterproof material
- Firestone Ride-Rite<sup>™</sup>suspension
- Standard side view and back-up cameras
- Trekker front cap option
- Heated enclosed tanks
- Water filtration system
- 7,500 Lb. tow rating
- Solid surface kitchen counter tops
- Premium stainless steel residential appliances with 1.3 cu. ft. microwave
- Integrated entry step
- Waste Master<sup>®</sup> RV sewer management system






This outdoor camp kitchen is standard on 2861DS.



Shown in Mojave Decor with optional Rustic Cherry cabinetry





OUTSIDE KITCHEN



**MOCHA Full body paint** 

**COBALT** Full body paint

**STANDARD** *Exterior* 

Forester Ford • Chevy Chassis	2291S	2421MS	2501TS	2861DS	3011DS	3051S	3271S
Wheelbase	158" • 159"	182"	182" • 183"	202" • 203"	220"	220"	220"
GVWR	14500 • 14200	14500	14500 • 14200	14500 • 14200	14500	14500	14500
GAWRR	9600 • 9600	9600	9600 • 9600	9600 • 9600	9600	9600	9600
GAWRF	5000 • 4600	5000	5000 • 4600	5000 • 4600	5000	5000	5000
UVW	10624 • 10452	11593	11721 • 11500	12300 • 12400	12400	12848	12838
GCWR	22000 • 20000	22000	22000 • 20000	22000 • 20000	22000	22000	22000
CCC	3876 • 3748	2907	2779 • 2700	2200 • 1800	2100	1652	1662
Fuel Capacity (Gal.)	55 • 57	55	55 • 57	55 • 57	55	55	55
Hitch Rating	7500/500 • 5000/500	7500/500	7500/500 • 5000/500	7500/500 • 5000/500	7500/500	7500/500	7500/500
Length - Bumper To Bumper	24' - 6" • 25'	27' - 1"	27' - 1" • 27' - 7"	30' - 9" • 31' - 3"	32' - 3	31' - 11"	31' - 11"
Exterior Height With A/C	11' - 3"	11' - 3"	11' - 3''	11' - 3"	11' - 3"	11' - 3"	11'-3"
Exterior Width	101"	101"	101"	101"	101"	101"	101"
Interior Width	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"	95.5"
Interior Height Frt/Rear	84"/77"	84"/77"	84"/77"	84"/77"	84"/77"	84"/77"	84"/77"
Fresh/Grey/Black Water (Gal.)	44/39/39	44/39/39	44/39/39	44/39/39	44/39/39	44/39/39	44/39/39
L.P. Capacity (Gal.)	9.8	9.8	9.8	9.8	9.8	9.8	9.8
Awning Length	15' - 6"	18'	18'	14'	15' - 6"	18'	16'
Water Heater (Gal.)	6	6	6	6	6	6	6
Exterior Storage (Cu. Ft.)	61	50	50	62.5	101.7	81.8	81.8

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, occupants, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GCWR (Gross Combined Weight Rating) - Is the maximum permissible loaded weight of your motor home and any towed trailer or towed vehicle. Actual GCWR of this vehicle may be limited by the sum of the GVWR and the installed hitch receiver maximum capacity rating: see hitch rating label for detail.

GAVR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by each axle. UVW [Unloaded Vehicle Weight]\* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s), including full fuel, all fluids and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories. "Estimated Average based on standard build optional equipment. CCC (Cargo Carrying Capacity)\*\* - is the amount of weight available for fresh potable water, cargo, passengers, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

\*\*Estimated average based on standard build optional equipment.

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit. Actual towing capacity is dependent upon your particular loading and towing circumstances, which includes the GVWR, GAWR and GCWR as well as adequate trailer brakes. Please refer to the Operator's Manual of your vehicle for further towing information.

# FORESTER BY FOREST RIVER CONSTRUCTION



### Multi-Layered Laminated Roof System

- 1. Crowned Fiberglass Roof
- Luan Decking 2.
- Block Foam Insulation 3.
- 4. A/C Ducts
- 5. Tubular Aluminum Framing
- 6. Interior Ceiling Material

#### Vacuum-Bond Laminated Sidewalls

- 7. Decorative Interior Wall Board
- 8. Tubular Aluminum Framing
- 9. EGS Metal Backers
- 10. Block Foam Insulation
- 11. Opening Framed In Aluminum
- **12.** Lightweight Composite Waterproof Material
- 13. Gelcoat Fiberglass Exterior

### INTERACTIVE MOBILE MANUALS

Download our mobile app or visit our dynamic online manual to enhance your ownership experience. These interactive options provide incredible

ease and insight into use, maintenance and enjoyment of your Forester product. Ranging from "How-To" videos, pictures and illustrations of various components, systems and features, to fully searchable content and downloadable PDFs for individual component owner's manuals, answers are always just a click away. View the online manual at www.forestriverinc.com/ownersmanuals, or download our FREE app from the App Store or GooglePlay!



LARGE WINDOWS WITH **BLACK-OUT ROLLER SHADES** Large panoramic windows for plenty of fresh air and natural light.



**USB CHARGING STATION** 12V 4-port USB charging station (Living room/bedroom)



LED LIGHTING LED lights generate almost no heat compared to incandescent lights and use substantially less power.



**RESIDENTIAL STYLE CABINETRY** Forester is appointed with ball bearing drawer glides and rich hardwood cabinetry.



ATWOOD FULLY DUCTED AIR All floorplans are ducted for high performance air flow throughout the coach and front cabover.



**ENCLOSED BATTERIES** 

Two batteries in a single housing for

easy access. (One battery LE and

CAB OVER BUNK SAFETY NET The overhead bunk is rated for 440 lbs.




HEATED/ENCLOSED HOLDING TANKS Heated/enclosed utility station uses warm air from the furnace to protect tanks and valves. (N/A 2251 SLE, MBS and Transit)



**KING JACK ANTENNA** This HD digitally amplified antenna enhances reception.







Vacuum-Bond

Laminated Floor System

15. Block Foam Insulation

17. Resilient Shaw Floors

18. Aluminum Framing

Throughout

14. Fiberglass Bottom Board

16. Seamless Floor Decking

(1)



Memory foam mattress will ensure

MEMORY FOAM



SEAMLESS FRONT CAP For enhanced aerodynamics



WASTE MASTER SEWAGE MANAGEMENT SYSTEM Rugged for quick, easy and sanitary waste disposal. (N/A LE, MBS and Transit)



**SOLAR PREP** 



**OUTSIDE SPEAKERS** 



WINTERIZING TUBE Easy access for quick maintenance includes bypass valve.



INTEGRATED STEP Forester's entry step is integrated into the sidewall. No more slippery, or damaged power steps. (N/A MBS)



MAXX AIR FAN Recirculates air throughout the entire coach.





THEATER STYLE SEATING Comfortable sofa with footrests, folding armrests and drink tray converts to a convenient sleeping area.



7,500 LB. TOW CAPACITY Ford E450

CHARGE WIZARD Progressive Dynamics patented 4-stage Charge Wizard® converter system has been shown to increase battery life by 2 to 3 times or more. It constantly monitors battery usage and voltage, then selects one of

usage and voltage, then selects one of four operating modes to properly charge and maintain the battery. Boost, Normal, Storage and Equalization.



**POWER AWNING WITH LED STRIP** Extend and retract your awning with the push of a button. Both arms are adjustable to get just the right angle.



TRADITIONAL WATER HEATER



### ATWOOD WATER HEATER

Atwood 18 GPH water heaters (6 gallon tank) out perform traditional 10 and 12 gallon tank water heaters. They're also 50% lighter and have no anode rod to replace.

FORESTER

2" Wall with Block Foam and

SuperLite (R-10)



TOUCH SCREEN IN-DASH STEREO SYSTEM Pairs up with your smart phone to access GPS and other applications. (N/A on Transit or LE )



siphon

speaker control.



This holding tank vent cap eliminates odors and gases from the holding tanks and exhausts them out the roof, without the use of costly chemicals.

WHOLE HOUSE ENTERTAINMENT

AM/FM/DVD, Bluetooth, plus outside

This multimedia system features

FOREST



SUPER LITE WALLS All models use SuperLite composite instead of a wood substrate on the sidewalls. It is lightweight, formaldehyde free and is not affected by moisture.



COMPETITION 1.5" Wall with Luan (R-6)

## 📥 FORESTER VS. THE COMPETITION 🔒



Ford · Chevy

Fuel Capacity (Gal)

Length - Bumper To Bumper

Exterior Height With A/C

Interior Height Frt/Rear

Fresh/Grey/Black Water (Gal)

Hitch Rating

Exterior Width

Interior Width

L.P. Capacity (Gal)

Water Heater (Gal)

Exterior Storage (Cu. Ft.)

Awning Length

Wheelbase

GVWR

GAWRR

GAWRF

UVW

GCWR

CCC

2251SLE

158" • 159"

14500 • 14200

9600 • 9600

5000 • 4600

9660 • 9640

2840 • 4560

55 • 57

23' - 10" • 24' - 4"

11' - 3"

101"

95.5"

84"/77

35/32/27

9.8

14'

6

32

22000 • 20000 18500 • 20000

7500/500 • 5000/500 7500/500 • 5000/500

2351LE

158" • 159"

14500 • 14200

8500 • 9600

4600 • 4600

9950 • 9890

2550 • 4310

55 • 57

24' - 6" • 25' - 4"

11' - 3"

101"

95.5"

84"/77"

44/39/39

9.8

15' - 6"

6

61

Forester LE Series is the industry's best value on the market today! Enjoy years of carefree travel with these well-built Class Cs.

3251DSLE

220"

14500

9600

5000

12500 22000

2000

55

7500/500

32' - 3"

11' - 3"

101"

95.5"

84"/77"

44/39/39

9.8

11'

6

80

2851SLE

220'

14500

9600

5000

11742

22000

2758

55

7500/500

31' - 5" • NA

11' - 3"

101"

95.5"

84"/77

44/39/39

9.8

15' - 6'

6

102

LE SERIES



2351LE





LE Series Kid's sofa sleeper with flip-down bunk

Shown in Chestnut Decor with optional Weathered Teak cabinetry



















Shown in Cobblestone Decor with Rustic Cherry cabinetry.



Forester GTS	2801QS
Wheelbase	212"
GVWR	14500
GAWRR	9600
GAWRF	5000
UVW	11596
GCWR	22000
CCC	2904
Fuel Capacity (Gal)	55
Hitch Rating	7500/500
Length - Bumper to Bumper	30' - 4''
Exterior Height with A/C	10' - 8''
Exterior Width	97"
Interior Width	91"
Interior Height Front/Rear	81"/75.5"
Fresh /Grey/Black Water (Gal)	43/42/28
L.P. Capacity (Gal)	9.8
Awning Length	18'
Water Heater (Gal)	6
Exterior Storage (Cu. Ft.)	73

## MERCEDES-BENZ<sup>®</sup> SERIES

The quality you've come to expect, paired with a fuel efficient diesel platform.



Shown in Chestnut Decor with optional Weathered Teak cabinetry







Forester MBS	2401R	2401S	2401W
Wheelbase	170.3	170.3	170.3
GVWR	11030	11030	11030
GAWRR	7720	7720	7720
GAWRF	4080	4080	4080
UVW	9852	9700	9924
GCWR	15250	15250	15250
CCC	1178	1330	1106
Fuel Capacity (Gal)	26.4	26.4	26.4
Hitch Rating	4200/350	4200/350	4200/350
Length - Bumper To Bumper	24' - 11"	24' - 8"	24 '- 11''
Exterior Height With A/C	11' - 3''	11' -3''	11' - 3''
Exterior Width	94.5"	94.5"	94.5"
Interior Width	91"	91"	91"
Interior Height Frt/Rear	81"/74"	81"/74"	81"
Fresh/Grey/Black Water (Gal)	35/30/30	35/33/33	35/32/32
L.P. Capacity (Gal)	16.6	16.6	16.6
Awning Length	16'	15'- 6"	15'- 6"
Water Heater (Gal)	6	6	6
Exterior Storage (Cu. Ft.)	75	67	50.3

FORESTER MBS

STERNARY


100








TS2391







Forester TS	TS2371	TS2391
Wheelbase	178"	178"
GVWR	10360	10360
UVW	8706	8050
GCWR	13500	13500
CCC	1654	2310
Fuel Capacity (Gal.)	25	25
Hitch Rating (Lb.)	0	0
Length - Bumper to Bumper	26' - 1"	25' - 6"
Exterior Height with A/C	10' - 5''	10' - 5''
Exterior Width	87"	87"
Interior Width	84"	84"
Interior Height Front/Rear	78"	78"
Fresh/Grey/Black Water (Gal.)	35/30/28	35/30/30
L.P. Capacity (Gal.)	9.8	9.8
Awning Length	15'	15'
Exterior Storage (Cu. Ft.)	30.5	38
Seat Belts	4	4

Transit Series is available in Charcoal decor only.

DECOR

CHARCOAL

# FORESTER

### STANDARD FEATURES & OPTIONS

O: OPTION • S: STANDARD • -: NOT APPLICABLE

WADDANTY	ED	CTE	MDC	1.5-	те
WARRANTY 12 Months/12,000 mile basic limited warranty	FR	GIS	MBS S	LE S	TS S
Chassis warranty (see owners manual)	5	3	3	3	5
SYSTEMS	FR	GTS	MBS	LE	тs
Battery disconnect	S	S	S	S	S
Water heater bypass	S	S	S	S	S
(2) Deep cycle coach batteries (1 battery in LE and TS)	S	S	S	S	S
"Easy Access" battery in step-well	S	S	S	S	S
30 Amp service with detachable cord	S	S	S	S	S
60 Amp Progressive Dynamics converter	S	S	S	S	S
6 Gallon DSI gas/electric water heater	S	S	S	S	
30,000 BTU furnace	S	S	S	S	_
Truma Combi water heater/furnace	-	-	-	-	S
Emergency start switch	S	S	-	S	S
Satellite/cable connection	S	S	S	S	S
13,500 BTU ceiling ducted roof air	S	S	S	S	S
4.0 KW Onan Microquiet generator	S	S	-	S	-
3.6 KW Onan LP generator	-	-	S	-	-
2.5 KW Onan LP generator	-	-	-	-	S
Automatic generator transfer switch	S	S	S	-	S
Firestone Ride-Rite air helper springs	S	S	-	-	-
Hellwig sway bar	-	-	S	-	-
Water filtration system	S	S	S	-	S
Heated, enclosed holding tanks and valves (N/A 2251SLE)	S	S	-	S	-
Arctic Package (12V tank heaters)	0	0	S	0	0
15K BTU A/C with heat pump	0	0	0	0	_
$CO_2$ , LP and smoke detector	S	S	S	S	S
Jack digital antenna	S	S	S	S	S
EXTERIOR	FR		MBS	LE	TS
2" Aluminum framed laminated sidewalls	S	S	-	S	-
1.5" Aluminum framed laminated sidewalls	-	-	S	-	S
Azdel SuperLite composite substrate	S	S	_	_	_
Azdel SuperLite composite substrate Gel Coat exterior fiberglass	S	S	S	S	-
Gel Coat exterior fiberglass	S	S	S S	S S	- S
Gel Coat exterior fiberglass Block foam insulation	S S	S S	S S S	S S S	– S S
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip	S S S	S S S	S S S S	S S S	- S S S
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings	S S S	S S S S	S S S S	S S S -	- S S S S
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof	S S S S S	S S S S S	S S S S S S	S S S - S	- S S S S S
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap	S S S S S S	S S S S S S	S S S S S S S S	S S S - S S S	- S S S S S S S
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights	S S S S S S S S	S S S S S S S	S S S S S S S S S	S S S - S S S S	- S S S S S S S S
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint	S S S S S S S S S S	S S S S S S S S S	S S S S S S S S S S	S S S - S S S -	- S S S S S S S S S S
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners	S S S S S S S S S S S S	S S S S S S S S S S	S S S S S S S S S S S S	S S S S S S S S S S S	- S S S S S S S S
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions	S S S S S S S S S S S S	S S S S S S S S S S S S S	S S S S S S S S S S S S S S S	S S S - S S S - S - S - S - - S - - - -	- S S S S S S S S S S -
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments	S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S	- S S S S S S S S S S
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light	S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S - S - S - S - S - S -	- S S S S S S S S S S - S S - S S -
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	- S S S S S S S S S S - S S - S S - S
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	- S S S S S S S S S S S S S S S - S
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	- S S S S S S S S S S S S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S S - S - S S - - S - S - S - - S - - S S - S S - S S - S S - S S - S S - S S - S S S - S S S S S - S
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows	S         S <td< td=""><td>S S S S S S S S S S S S S S S S S S S</td><td>S S S S S S S S S S S S S S S S S S S</td><td>S S S S S S S S S S S S S S S S S S S</td><td>- S S S S S S S S S S S S S S S S S S S</td></td<>	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	- S S S S S S S S S S S S S S S S S S S
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle 11nted sliding windows Tinted frameless windows Heated, remote exterior mirrors	S         S <td< td=""><td>S S S S S S S S S S S S S S S S S S S</td><td>S S S S S S S S S S S S S S S S S S S</td><td>S S S S S S S S S S S S S S S S S S S</td><td>- S S S S S S S S S S S S S S S - S S - S S - S S - S S - S S - S S - S S - S S - S</td></td<>	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	- S S S S S S S S S S S S S S S - S S - S S - S S - S S - S S - S S - S S - S S - S
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450)	S       S <t< td=""><td>S S S S S S S S S S S S S S S S S S S</td><td>S S S S S S S S S S S S S S S S S S S</td><td>S S S S S S S S S S S S S S S S S S S</td><td>- S S S S S S S S S S S S S S S S S S S</td></t<>	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	- S S S S S S S S S S S S S S S S S S S
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows Tinted rameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (Chevy/E350)	S         S <td< td=""><td>S S S S S S S S S S S S S S S S S S S</td><td>S S S S S S S S S S S S S S S S S S S</td><td>S S S S S S S S S S S S S S S S S S S</td><td>- S S S S S S S S S S S S S S S - S S - S S - S S - S S - S S - S S - S S - S S - S</td></td<>	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	- S S S S S S S S S S S S S S S - S S - S S - S S - S S - S S - S S - S S - S S - S
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows Heated, remote exterior mirros 7,500 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	- S S S S S S S S S S S S S S S S S S S
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector Autor Science S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	- S S S S S S S S S S S S S S S - S S - S S - S S - S S - S S - S S - S S - S S - S
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector Spare tire Roof ladder (N/A 2401R, 2801QS)	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	- S S S S S S S S S S S S S S S S S S S
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector Spare tire Roof ladder (N/A 2401R, 2801QS) Integrated entry step	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	- S S S S S S S S S S S S S S S S S S S
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (E450) 5,000 Lbs. hitch, 7-pin connector Spare tire Roof ladder (N/A 2401R, 2801QS) Integrated entry step Power entry step	s s s s s s s s s s s s s s s s s s s	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows Heated, remote exterior mirrors 7,500 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector Spare tire Roof ladder (N/A 2401R, 2801QS) Integrated entry step Power entry step Outside shower	s s s s s s s s s s s s s s s s s s s	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	- S S S S S S S S S S S S S S S S S S S
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows Heated, remote exterior mirros 7,500 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector Spare tire Roof ladder (N/A 2401R, 2801QS) Integrated entry step Power entry step Outside shower Automatic leveling system (4-point)	s s s s s s s s s s s s s s s s s s s	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	
Gel Coat exterior fiberglass         Block foam insulation         Power patio awning with LED light strip         Slide-out awnings         Fiberglass roof         One-piece fiberglass front cap         LED exterior lights         Exterior skirt paint         Stainless steel wheel liners         Valve stem extensions         Roto-cast storage compartments         Driver side security light         Fiberglass running boards         110V, GFI protected exterior receptacle         Tinted sliding windows         Tinted sliding windows         Tinted frameless windows         Heated, remote exterior mirrors         7,500 Lbs. hitch, 7-pin connector (Chevy/E350)         4,200 Lbs. hitch, 7-pin connector         Spare tire         Roof ladder (N/A 2401R, 2801QS)         Integrated entry step         Power entry step         Outside shower         Automatic leveling system (4-point)         Stabilizer jacks (2-point)	S         S <td< td=""><td>S S S S S S S S S S S S S S S S S S S</td><td>S S S S S S S S S S S S S S S S S S S</td><td>S S S S S S S S S S S S S S S S S S S</td><td></td></td<>	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	
Gel Coat exterior fiberglass Block foam insulation Power patio awning with LED light strip Slide-out awnings Fiberglass roof One-piece fiberglass front cap LED exterior lights Exterior skirt paint Stainless steel wheel liners Valve stem extensions Roto-cast storage compartments Driver side security light Fiberglass running boards 110V, GFI protected exterior receptacle Tinted sliding windows Tinted frameless windows Heated, remote exterior mirros 7,500 Lbs. hitch, 7-pin connector (Chevy/E350) 4,200 Lbs. hitch, 7-pin connector Spare tire Roof ladder (N/A 2401R, 2801QS) Integrated entry step Power entry step Outside shower Automatic leveling system (4-point)	s s s s s s s s s s s s s s s s s s s	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	S S S S S S S S S S S S S S S S S S S	

	FR	GTS	MBS	LE	TS
Outside 12V. LED TV (See floorplans)	0		0	-	-
LP quick connect	0	0	0	-	-
Black tank flush	S	S	S	-	S
CAB AREA	FR	GTS	MBS	LE	TS
7" Touch screen radio with USB and Bluetooth	S	S	S	S	-
Cab area privacy curtain	S	S	-	S	S
Magnetic privacy shades	-	-	S	-	-
Ultra leather driver and passenger seats	S	S	S	-	S
Power windows and door locks	S	S	S	S	S
Keyless entry (N/A Chevy)	S	S	S	S	S
Color back-up camera with rear view monitor	S	S	S	S	S
Side view cameras	S	S	S	-	S
Wood grain dash	S	S	S	-	-
Removable cab mat	-	-	S	-	-
Swivel driver seat (N/A Chevy, Power)	0	0	S	-	-
Power driver seat (Ford only)	0	0	-	-	-
Swivel passenger seat (N/A Chevy)	0	0	S	-	-
KITCHEN	FR	GTS	MBS	LE	ΤS
Recessed 3-burner range with flush glass cover	S	S	S	S	-
Stainless steel appliances	S	S	S	-	-
Range hood with fan and light	S	S	S	S	-
Oven IPO drawer	-	-	0	-	-
Microwave oven	S	-	-	S	-
Convection microwave	0	S	S		S
6 Cu. ft. double door refrigerator	S	S	S	S	-
12 Cu. ft. four door refrigerator with ice maker			2.31		
(2861DS, 3011DS, 3051S, 3271S)	0	-	-	-	-
5.3 Cu. ft. lightweight LP/Electric 110V refrigerator	-	-	-	-	S
Full extension ball bearing drawer guides	S	S	S	S	-
Flip-up countertop extension	S	S	S	S	-
Solid surface galley	S	S	S	-	-
BATHROOM	FR		MBS	LE	TS
Lightweight composite toilet with hand sprayer	S	S	S	S	S
Glass shower door	S	S	-	-	-
Lightweight Arcadia shower door	-	-	S	S	S
Towel bar, tissue, toothbrush and soap holder	S	S	S	-	S
Electric roof fan	S	S	S	S	S
Shower head with flexible extension	S	S	S	S	S
Shower skylight	S	S	S	S	S
BEDROOM	FR	S	MBS	LE	TS S
Upgraded memory foam mattress	S	-	S	S	S
Bedspread Bedroom TV	0	S O	0	-	0
Cedar lined closet	S	S	S	_	0
	FR	_	MBS	LE	TS
LIVING ROOM Dream dinette (N/A with U-shape dinettes)	S	S	S	LE	15
	S	3	3		_
Visionary pull out sofa (60" x 74") (3011DS) Black-out roller shades	S	- S	- S	- S	-
Surround sound	S	S	S	S	_
Child seat head tethers in dinette	S	S	S	S	-
Maxx Air fan with rain/temp sensor and power dome	S	S	S	-	S
	S	S	S	-	5
LED floor lighting	S	S	S	_	- S
12V. USB charging station	5	3	5	-	5
For more information please visit: www.forestrivering	.con	n/fo	reste	r	

For more information please visit: www.forestriverinc.com/forester 914 CR 1 · Elkhart. In 46514 · 574.262.2212 · 800.445.2825

Find us on Facebook Find us on





#### **PRE-DELIVERY INSPECTION FACILITY**

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.





All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. ©2017 Forester - a Division of Forest River, Inc. - a Berkshire Hathaway Company 12/17

