

We invite you to take the road less traveled... and make it all the difference.





Surveyor Production Team: (Left to Right) Dale G., Service/Production Floater since 2001, Wayne "Junior" T., Group Plant Manager -3 Plants, Brian S., Plant Manager, 16 years+

SURVEYOR FIELD TESTED SINCE 2001

"DO YEARS IN BUSINESS AND EXPERIENCE BUILDING RV'S AT THE SAME FACTORY MATTER WHEN CHOOSING WHICH TRAVEL TRAILER TO PURCHASE ... WE THINK IT SHOULD!"

Surveyor

2

Aluminum Framing All Openings

Windows; No caulking required, saves time and up to \$100s annually! Best structural integrity in its class.

52 Cu. Ft. Pass-Through Storage Upgraded "Drop Frame" for best in class exterior storage - many models.

Wall Construction (R7, R9)

Pinch roll laminated at 1600 PSI, 100% glue coverage. - Closed Cell Block Foam Insulated, optimum comfort.

Air-Pressure Sealed Tested, ensures maximum efficiency.

Floor & Lami Plast

Enclosed Heated Underbelly · 2" aluminum studded floor: R9 block foam insulation

ъ

- and interior double layered plywood, offset. Insulates underbelly & tanks, forms a double walled
- layer pocket of air. • Radiant heated, camping in all seasons!



Azdel Onboard

Composite Panels, Patented Blend of Polypropylene and Fiberglass, replaces "wood" backing. **Surveyor uses on Sides, Rear, Slide Room, and Front Walls** (NA Front of Luxury, Fiberglass Cap)

Protects against delamination - repels water; no rot, mold, or warpage

- Unaffected by humidity or temperature changes
- 2x insulation value Blankets like a "Radiant Foil"
- 1/2 the weight of wood keeps fuel costs down
- 🚱 Longer life and better resale value
- ロン Quieter RV absorbs sound waves

Scan QR to see Surveyor Advantages or visit www.forestriverinc.com/Surveyor

PVC Membrane -Fully Walkable Roof

16" On-Center trusses featuring 3/8" decking, R14 Residential Blanket Insulation, finished with Best in Class PVC Roof Membrane.

- 1. No treatments required Ever!
- Save time every 6-12 months & up to \$100s annually.
- 2. 15 Year Warranty, 100% coverage.
- 2x the puncture strength & 20% more tear resistance
 Will not chalk, streak, or spot.
- 5. Extraordinary reflectivity keeping your trailer cooler







TWO-TIME SURVEYOR OWNERS, In their own words

We just purchased our 2nd Surveyor. We really enjoyed our current Surveyor, both the quality of workmanship, the layout, and the amount of storage.

We are experienced RV'ers and over the years we have owned campers, fifth wheels, and travel trailers; so when we determined we needed a little longer travel trailer for our extended trips, we immediately thought of another Surveyor and our excellent dealings with the previous dealer.

Lynn & Michele Adair Tallahassee, FL, 2019

"GO CONFIDENTLY IN THE DIRECTION OF YOUR DREAMS! LIVE THE LIFE YOU'VE IMAGINED"

- THOREAU



 Near to far:
 Brenna F., Quality/Final Finish Leader, 15 years.

 Shae S. M., PDI/Quality Leader, 7 years.

 FINAL INSPECTION STATION

"It takes a lot of testing before we put our stamp of approval on it."















*LENGTH FROM COUPLER TO BUMPER // **HEIGHT INCLUDES TOP OF A/C

Sub-4s start below 4,000 lbs and are packed with fun! Designed for those looking for shorter, lighter, and an active on the go lifestyle, without having to compromise "comfort".

"I WENT INTO THE FOREST TO LOSE MY MIND, AND FIND MY SOUL" – JOHN MUIR



W/H

FRICTION HINGE

78"

FRESH

GRAY

BLACK



SEE OUR FULL LISTING OF SPECIFICATIONS AND 360 TOURS AT WWW.FORESTRIVERINC.COM/SURVEYOR

SURVEYOR LEGEND MURPHY BEDS

No mattress taking up valuable storage space; and bedding not exposed to whatever else could be in there

200**MBLE**



Legend Murphy Beds are better designed and the smartest use of space in order to tow a shorter trailer that has both a dinette & sofa. They come equipped with the super easy to use "**Latch & Catch**" system for operating our 60" x 80" Residential Queen Bed!




203RKLE



	UVW	нітсн	C.C.C.	LENGTH *	HEIGHT **	CAPACITY (GAL.)
200 MBLE	4601	480	2879	23' 8"	11' 3"	40 40 30
203 RKLE	4685	530	2807	24' 10"	11' 3"	40 40 30
240 BHLE	5137	517	2380	25' 11"	11' 3"	40 40 30
	FRESH GRAY BLACK					

*LENGTH FROM HITCH TO REAR BUMPER // **HEIGHT INCLUDES TOP OF A/C

252RBLE





ALL LEGENDS

"KIDS NEVER REMEMBER THEIR BEST DAY OF TELEVISION."







"I don't just sell them, I camp in them."

Reid G., Regional Sales Manager, Serving our customers & RV dealerships since 2003.

202**RBLE**





296**QBLE**



248**BHLE**






320**BHLE**



	UVW	нітсн	C.C.C.	LENGTH *	HEIGHT **	CAPACITY (GAL.)
202 RBLE	4628	465	2837	24' 4"	11' 2"	40 40 30
248 BHLE	5504	610	2106	29' 11"	11' 2"	40 60 30
252 RBLE	5168	555	2387	28' 11"	11' 2"	40 40 30
295 QBLE	5995	777	1782	33' 0"	11' 2"	40 40 30
296 QBLE	6468	700	3032	34' 11"	11' 3"	40 40 30
320 BHLE	7413	755	2142	37' 0"	11' 5"	40 80 70
	RIIMDER // **HEIGHT					FRESH GRAY BLACK

*LENGTH FROM COUPLER TO BUMPER // **HEIGHT INCLUDES TOP OF A/C









COUNTER-TOP EXTENSION (SELECT MODELS)



Is "Glamping" an over used term to describe some travel trailers? With Surveyor Luxury ... you be the judge.

"WE TRAVEL NOT TO ESCAPE LIFE, **BUT FOR LIFE NOT TO ESCAPE US.**" - ANONYMOUS





80 CU FT. STORAGE

(272FLS FRONT & REAR PASS THRU)

NORAMIC SUIDING WINDO

250**FKS**

266**RLDS**

52 CU FT. DROP FRAME STORAGE.

LARGEST IN CLASS.

82.5" BARRELED CEILING

MASTER SUITE STORAGE CUBBIES

PORCELAIN

PORTS PORTS 7-PLUG

HIGH OUTP W/H 8

ANDRAMIC SLIDING WINDOW







267**RBSS**



287BHSS





		UVW	C.C.C.	нітсн	LENGTH *	HEIGHT **	CAPACITY (GAL.)
	245 BHS	5204	2422	626	28' 3"	11' 2"	40 40 30
FRICTION HINGE ENTRY DOOR	250 FKS	5543	2232	775	28' 8"	11' 3"	40 60 30
ii /	251 RKS	5721	2047	768	29' 6"	11' 3"	40 60 30
POWER TONGUE JACK	266 RLDS	6273	1492	765	31' 3"	11' 3"	40 40 30
(100%) LED	267 RBSS	6009	1719	728	30' 11"	11' 3"	40 60 30
	272 FLS	6028	3407	635	31' 11"	11' 3"	40 40 30
r#	287 BHSS	6065	1545	610	32' 10"	11' 3"	40 60 30
	*LENGTH FROM COUPLER TO	BUMPER // **HEIGHT	NCLUDES TOP OF A/C				FRESH GRAY BLACK

SEE OUR FULL LISTING OF SPECIFICATIONS AND 360 TOURS AT WWW.FORESTRIVERINC.COM/SURVEYOR

BEST IN CLASS MASTER SUITE STORAGE



VEYOR LUXURY S

At Surveyor, Customer Satisfaction is #1 and these models were specifically requested by RV customers and dealers from Colorado, Westward. We're glad we listened.

"OF ALL THE PATHS YOU TAKE IN LIFE, **MAKE SURE A FEW OF** THEM ARE DIRT..." - MUIR

226**RBDS** PEROREWIC SUIDING WINDOW HELL B

265**RLDS**





PANORANIC SLIDING WINDOWS

	UVW	нітсн	C.C.C.	LENGTH *	HEIGHT **	CAPACITY (GAL.)
226 RBDS	5028	658	2630	25' 10"	11' 2"	40 40 30
247 BHDS	5836	581	1745	29' 4"	11' 3"	40 70 30
265 RLDS	6223	765	1542	31' 3"	11' 3"	40 40 30
	FRESH GRAY BLACK					

*LENGTH FROM HITCH TO REAR BUMPER // **HEIGHT INCLUDES TOP OF A/C

* EXACTIC PACKAGE

FRICTION

Ð

(100%) LED ╘ EXTERIOR &

0

B22.5" BARELED DARELED CUBBICS PORCELALIN TOUET USB PORS




TRULY HOME AWAY FROM HOME

You may be camping for a night or taking the trip of a lifetime, Surveyor King Bed Models have the storage space and features to ensure everlasting memories.









	UVW	HITCH	C.C.C.	LENGTH *	HEIGHT **	CAPACITY (GAL.)
33K FKDS	7128	875	2547	36' 11"	11' 5"	40 60 30
33 KRLOK	7614	765	1951	36' 11"	11' 5"	40 75 35
						FRESH GRAY BLACK

*LENGTH FROM HITCH TO REAR BUMPER // **HEIGHT INCLUDES TOP OF A/C

PEACE OF MIND - YOU'RE NEVER ALONE



WARRANTY, PARTS, s s s service. In-house to better serve.

Left to right: (entire department not shown): Susan T., Warranty/Parts/Service Manager, taking care of everyone's needs since 2006. Amanda H., Senior Parts Administrator, shipping the right parts fast Worldwide.



24/7 EMERGENCY ROADSIDE ASSISTANCE WITH VEHICLE PURCHASE

TOWING JUMP-STARTS TIRE CHANGES FLUID DELIVERY LOCKOUT SERVICE WINCH-OUT MOBILE MECHANIC TECHNICAL SUPPORT DEALER LOCATOR SERVICES



*VALID FOR 1 YEAR FROM DATE OF PURCHASE

CUSTOMER SATISFACTION

Whether at an Ocean Front campsite or **OTG (OFF THE GRID**), RV'ing is not just a thing to do, it's a lifestyle! At Surveyor Service, we get it.



PARTER AND A SERVICE OF CONTRACT OF CONTRA

www.ForestRiverBuyLocal.com

WWW.FORESTRIVERINC.COM/SURVEYOR



OFF-SITE PDI TESTING - EVERYDAY!



PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.

UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

*Estimated average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

Surveyor Division, Forest River, Inc. 2405 Century Dr., Goshen, IN 46528 (574) 642.3119



Learn More Scan this barcode using a QR Reader on your smart phone to learn more about Forest River.



A Berkshire Hathaway company.

YOUR SURVEYOR DEALER

** Estimated average based on standard build optional equipment

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities.

The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit. All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River, Inc., dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. Litho. U.S.A. FOR 1735 P/W: 2020.01.14